

Work Order ID 98166

March-08-13 9:54:00 AM

Pul
98166

Page 1

Item ID: D2939-2

Revision ID:

Item Name: Saddle RH In. 206

Accept

N900040100Setup Start ***NS1***Stop ***NS2***

Start Date: 3/08/13 Start Qty: 12.00

12

Cust Item ID:

Required Date: 3/29/13 Req'd Qty: 12.00

12

Customer:

Reference:

Approvals:

Process Plan: *PL*Date: *B-03-1*

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2939	Rev C								

100

0.00

100

HAAS CNC VERTICAL MACHINING #1

HAAS 1

Memo

0.00

*FR 13/04/24**12**Ø*

HAAS CNC vertical machine #1

Program part number and batch number.1-Inspect part number and batch number are programmed correctly.2-Machine Step No 1 of Folio and visually inspect as per dwg D2939 & attached Dimension Sheet 3-Machine Step No 2 of Folio and visually inspect as per

PO

110

0.00

110

CONVENTIONAL MILLING MACHINE

Mill Conv

Memo

0.00

*PO 13/04/25**12**Ø*

Conventional Milling Machine

Machine Keyway and inspect per attached dimension sheet

PTO

120

0.00

120

QC1- Inspect dimensions to dimension sheet

QC

Memo

0.00

*FR 13/04/24**12**Ø*

Quality Control

PO

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA

Date: 13/05/25

QA Closed: OK

Date: 13/5/23

Work Order: <u>98166</u> Part No. <u>D2939-2</u> NCR No. <u>13-2645</u>				DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input checked="" type="checkbox"/> Work Order Update <input type="checkbox"/>		AGAINST DEPARTMENT/PROCESS					
						Skid-tube <input type="checkbox"/> Machining <input checked="" type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/>	Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/>	Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/>	Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/>		

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data <input type="checkbox"/> Equip/Tooling <input type="checkbox"/> Operator <input checked="" type="checkbox"/> Material <input type="checkbox"/> Setup <input type="checkbox"/> Other <input type="checkbox"/> Process <input type="checkbox"/> Supplier <input type="checkbox"/> Training <input type="checkbox"/> Unapproved <input type="checkbox"/>	13/04/26	110	1	Due To deburring The Thickness around one Hole where the slot is located is under tolerance by .002 R.C operator Error-	GP 13/5/17	Acceptable. No effect on overall strength of saddle-skid interface	PD 13/04/26 GP 13/5/17	13/05/08	DAS 10 13/05/22

FAULT CATEGORY			
Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions	<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge <input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other

Work Order ID 98166

March-08-13 9:54:00 AM

98166

Page 2

Item ID: D2939-2

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Saddle RH In. 206

Start Date: 3/08/13 Start Qty: 12.00

12

Cust Item ID:

Required Date: 3/29/13 Req'd Qty: 12.00

12

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 *130* QC Quality Control	QC8- Inspect parts - second check Memo	0.00 0.00		<i>on 13/05/08</i>		<i>12</i>	<i>1</i>		
140 *140* HandFinish Hand Finishing	Chemical Conversion Coat per QSI005 4.1 Memo	0.00 0.00				<i>12</i>	<i>213.5</i>	<i>9</i>	
155 *155* SprayPaint Spray Painting	Spray Painting per QSI005 4.2 Memo PRIME B <i>125152</i> DELFLEET BLUE B <i>125476</i> DELFLEET CLEAR B <i>125053</i> START TIME: <i>11:00</i> FINISH TIME: <i>5:30</i>	0.00 0.00				<i>12</i>		<i>J.P. / W</i> <i>13-05-10</i>	

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>
--	---	---

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data									
Equip/Tooling									
Operator									
Material									
Setup									
Other									
Process									
Supplier									
Training									
Unapproved									

FAULT CATEGORY

Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions	<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge <input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other
---	---	---	---

Work Order ID 98166

March-08-13 9:54:00 AM

98166

Page 3

Item ID: D2939-2

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Saddle RH In. 206

Start Date: 3/08/13

Start Qty: 12.00

12

Cust Item ID:

Required Date: 3/29/13

Req'd Qty: 12.00

12

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

165

QC14- Inspect Spray Paint

0.00

165

QC

Memo

0.00

Quality Control

12

05
9-89

13-05-15

170

Identify as per dwg & Stock Location

0.00

170

Packaging

Memo

0.00

Packaging

12

13/5/16

180

QC21- Final Inspection - Work Order Release

0.00

180

QC

Memo

0.00

Quality Control

13/5/21

ML513-05-16

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data									
Equip/Tooling									
Operator									
Material									
Setup									
Other									
Process									
Supplier									
Training									
Unapproved									

FAULT CATEGORY

Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions	<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge <input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other
---	---	---	---

Picklist Print

March-08-13 9:54:04 AM

Page 1

Work Order ID: 98166

98166

Parent Item: D2939-2

D2939-2

Parent Item Name: Saddle RH In. 206

Start Date: 3/08/13

Required Date: 3/29/13

Start Qty: 12.00

Required Qty: 12.00

Comments: IPP: B 00.06.26 New DWG rev (mpp 2069)EC
IPP Rev:C As per Rev C 07-03-19 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-001		Manufactured	No			100	Each	2.0000	1	12			

D6101-001

Saddle Billet

**

PO 13104122

Location

Loc Qty

Loc Code

MAT042

2

94445

2

→ 9723A

12.0

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>					
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector		
Doc/Data											
Equip/Tooling											
Operator											
Material											
Setup											
Other											
Process											
Supplier											
Training											
Unapproved											

FAULT CATEGORY				
Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions	<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge	<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other

DART AEROSPACE LTD				Work Order: 98166	
Description: 206 Saddle, Inboard, Right side				Part Number: D2939-2	
Inspection Dwg: D2939 Rev: C DSK: Rev:				Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET

☒ First Article
 ☐ Prototype

				Record Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	5
A	0.100	0.140		.115	.114	.114	.112	.115
B	0.100	0.140		.116	.115	.115	.113	.115
C	0.100	0.140		.118	.115	.115	.114	.115
D	0.210	0.230		.220	.220	.219	.218	.219
E	1.245	1.255		1.250	1.250	1.250	1.250	1.250
F	1.245	1.255		1.250	1.250	1.250	1.250	1.250
G	2.495	2.505		2.500	2.500	2.500	2.500	2.500
H	0.510	0.515		.514	.514	.514	.514	.514
I	1.572	1.582		1.577	1.577	1.577	1.577	1.577
J	2.495	2.505		2.500	2.500	2.500	2.500	2.500
K	0.257	0.262		.258	.258	.258	.258	.258
L	0.312	0.317		.314	.314	.314	.314	.314
M	0.235	0.240		.237	.237	.236	.237	.237
N	0.100	0.140		.121	.120	.119	.119	.119
O	0.540	0.560		.551	.551	.551	.551	.551
P	0.490	0.510		.500	.498	.497	.497	.497
Q	3.715	3.725		3.720	3.720	3.720	3.720	3.720
R	2.720	2.760		2.742	2.740	2.740	2.740	2.750
S	0.240	0.270		.250	.250	.249	.249	.249
T	0.100	0.180		.130	.130	.130	.130	.130
U	1.625	1.635		1.630	1.630	1.630	1.630	1.630
V	1.362	1.372		1.367	1.367	1.367	1.367	1.367
W	0.316	0.321		.316	.316	.316	.316	.316
X	1.250	1.270		1.260	1.262	1.261	1.260	1.260
Y	1.565	1.585		1.574	1.576	1.575	1.574	1.574
Z	0.178	0.198		.188	.188	.188	.188	.188
AA								
AB								
AC								
AD								
Accept/Reject				✓	✓	✓	✓	✓

Measured by: FK / PD	Date: 13/04/24
Audited by: GML	Date: 13/05/23
Prototype Approval: N/A	Date: N/A

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Re-format; Added Dim. X-Y, DT8683, DT8686, DT8690 & DT8695 A/B	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	
D	07.11.23	DT8695 A/B removed	KJ/EC/DD	

DART AEROSPACE LTD		Work Order: 98166
Description: 206 Saddle, Inboard, Right side		Part Number: D2939-2
Inspection Dwg: D2939	Rev: C	Page 1 of 1

FIRST ARTICLE INSPECTION DIMENSION SHEET

☒ First Article ☐ Prototype

Dim	Min	Max	Go/No Go Gauge	Record Actual Dimensions				
				16	17	18	19	20
A	0.100	0.140		.113	.112	.114	.112	.117
B	0.100	0.140		.113	.112	.114	.112	.117
C	0.100	0.140		.115	.115	.116	.114	.114
D	0.210	0.230		.218	.218	.219	.218	.218
E	1.245	1.255		1.250	1.250	1.250	1.250	1.250
F	1.245	1.255		1.250	1.250	1.250	1.250	1.250
G	2.495	2.505		2.500	2.500	2.500	2.500	2.500
H	0.510	0.515		.514	.514	.514	.514	.514
I	1.572	1.582		1.577	1.577	1.577	1.577	1.577
J	2.495	2.505		2.500	2.500	2.500	2.500	2.500
K	0.257	0.262		.258	.258	.258	.258	.258
L	0.312	0.317		.314	.314	.314	.314	.314
M	0.235	0.240		.237	.237	.237	.237	.237
N	0.100	0.140		.110	.118	.119	.118	.118
O	0.540	0.560		.551	.550	.550	.551	.551
P	0.490	0.510		.502	.500	.499	.498	.499
Q	3.715	3.725		3.720	3.720	3.720	3.720	3.720
R	2.720	2.760		2.740	2.740	2.740	2.740	2.740
S	0.240	0.270		.249	.249	.249	.249	.248
T	0.100	0.180		.130	.130	.130	.130	.130
U	1.625	1.635		1.630	1.630	1.630	1.630	1.630
V	1.362	1.372		1.367	1.367	1.367	1.367	1.367
W	0.316	0.321		.316	.316	.316	.316	.316
X	1.250	1.270		1.260	1.260	1.261	1.260	1.260
Y	1.565	1.585		1.574	1.574	1.575	1.574	1.574
Z	0.178	0.198		.188	.188	.188	.188	.188
AA								
AB								
AC								
AD								
Accept/Reject				✓	✓	✓	✓	✓

Measured by: RD	Date: 13/04/25
Audited by: [Signature]	Date: 13/05/08
Prototype Approval: N/A	Date: N/A

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Re-format; Added Dim: X-Y, DT8683, DT8686, DT8690 & DT8695 A/B	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	
D	07.11.23	DT8695 A/B removed	KJ/EC/DD	

DART AEROSPACE LTD		Work Order:	98166
Description: 206 Saddle, Inboard, Right side		Part Number:	D2939-2
Inspection Dwg: D2939 Rev: C DSK: Rev:		Page 1 of 1	



FIRST ARTICLE INSPECTION DIMENSION SHEET

☒ First Article ☐ Prototype

Dim	Min	Max	Go/No Go Gauge	Record Actual Dimensions				
				1 1	1 2	3	4	5
A	0.100	0.140		.118	.117			
B	0.100	0.140		.118	.118			
C	0.100	0.140		.117	.116			
D	0.210	0.230		.218	.218			
E	1.245	1.255		1.250	1.250			
F	1.245	1.255		1.250	1.250			
G	2.495	2.505		2.500	2.500			
H	0.510	0.515		.514	.514			
I	1.572	1.582		1.577	1.577			
J	2.495	2.505		2.500	2.500			
K	0.257	0.262		.258	.258			
L	0.312	0.317		.314	.314			
M	0.235	0.240		.233	.235			
N	0.100	0.140		.118	.118			
O	0.540	0.560		.551	.551			
P	0.490	0.510		.500	.500			
Q	3.715	3.725		3.720	3.720			
R	2.720	2.760		2.740	2.740			
S	0.240	0.270		.248	.248			
T	0.100	0.180		.130	.130			
U	1.625	1.635		1.630	1.630			
V	1.362	1.372		1.367	1.367			
W	0.316	0.321		.316	.316			
X	1.250	1.270		1.260	1.257			
Y	1.565	1.585		1.575	1.572			
Z	0.178	0.198		.188	.188			
AA								
AB								
AC								
AD								
Accept/Reject								



Measured by: PD	Date: 13/04/26
Audited by: <i>mf</i>	Date: 13/05/28
Prototype Approval: N/A	Date: N/A

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Re-format; Added Dim. X-Y, DT8683, DT8686, DT8690 & DT8695 A/B	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	
D	07.11.23	DT8695 A/B removed	KJ/EC/DD	



D2939-1 LH SADDLE (SHOWN)
D2939-2 RH SADDLE (OPPOSITE)

- NOTES:**
- 1) MATERIAL: ALUMINUM 7075-T7351 (QQ-A-250/12)
 (MAKE FROM D6101-001 SADDLE BILLET, 7075)
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 POWDER COAT GLOSS WHITE (REF 4.3.5.1) PER DART QSI 005 4.3
 - 3) BREAK ALL SHARP EDGES 0.010 TO 0.020
 - 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 5) ALL DIMENSIONS ARE INCHES
 - 6) ENGRAVE PART AND BATCH NUMBER IN THIS AREA 0.010 TO 0.015 DEEP



C	06.11.09	R0.188 WAS R0.30 TO R0.25
B	00.05.29	CHANGED DEOMETRY AND MATERIAL
A	99.11.12	NEW ISSUE
DESIGN	DRAWN BY	DART DART AEROSPACE USA, INC.
CHECKED	APPROVED	DART DART AEROSPACE USA, INC.
DATE	06.11.09	DRAWING NO. D2939
		TITLE SADDLE INSIDE
		REV. C SHEET 1 OF 1 SCALE 2:3

COPYRIGHT © 1999 BY DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.